ECE511/PSY511 PSYCHOPHYSICS A Joint Offering by the School of Electrical and Computer Engineering And the Department of Psychological Sciences Purdue University Fall 2019

HW #3

Topic: A Decision Model for Psychophysics (Hit and False-alarm Rates, Sensitivity Index d', Bias c)

(1) Derive the relationships d' = z(H) - z(F) and c = -0.5[z(H)+z(F)]. You will need to use the assumption of Gaussian probability density functions with equal variance for $p(x|S_1)$ and $p(x|S_2)$. Also recall that the z-scores (normal deviates) are defined by:

$$H = \int_{-\infty}^{z(H)} \frac{1}{\sqrt{2\pi}} e^{-\frac{x^2}{2}} dx \qquad F = \int_{-\infty}^{z(F)} \frac{1}{\sqrt{2\pi}} e^{-\frac{x^2}{2}} dx$$

[Hint: Try to express z(H) and z(F) in terms of M_1 , M_2 , k and σ first.]

(2) Suppose d'=1. What is H if F = 0.01, 0.02, 0.10, 0.25 and 0.50? Same for d'=0.5, 1.5 and 2.5. Present your results in a table like the one shown below. Please briefly explain the key steps in your calculations.

[Hint: You can use Table B.1 on p.3 for this and subsequent problems.]

F\d′	0.5	1.0	1.5	2.5
0.01				
0.02				
0.10				
0.25				
0.50				

(3) For the following data matrices, find d' and c. Compare and discuss the results.

(a)		\mathbf{R}_{1}	\mathbf{R}_{2}	(b)	\mathbf{R}_{1}	\mathbf{R}_{2}	(c)	\mathbf{R}_{1}	\mathbf{R}_{2}
	S ₁	49	1	S.	4	46	\mathbf{S}_1	3	47
	\mathbf{S}_{2}	2	48	\mathbf{S}_{2}	2	48	\mathbf{S}_{2}	48	2

(4) Suppose $(H_{old}, F_{old}) = (0.75, 0.2)$. If $d'_{new} = 2d'_{old}$, find (H_{new}, F_{new}) if

- (i) $c_{new} = c_{old}$
- (ii) $c'_{new} = c'_{old}$
- (iii) $\ln(\beta)_{new} = \ln(\beta)_{old}$

[Hint: Refer to Macmillan & Creelman's book for definitions of c' and $ln(\beta)$.]

(5) What is the percent-correct score for a 1-I experiment when d'=1.0? You may assume that bias c = 0 in your derivation. If you have made any *additional* assumptions, please state them explicitly and clearly.

TABLE B.1 Cumulative Probabilities of the Standard Normal Distribution.

					A	\backslash				
					z(.	A)				
z	.00	.01	.02	.03	.04	.05	.06	.07	.08	.09
.0	.5000	.5040	.5080	.5120	.5160	.5199	.5239	.5279	.5319	.5359
.1	.5398	.5438	.5478	.5517	.5557	.5596	.5636	.5675	.5714	.5753
.2	.5793	.5832	.5871	.5910	.5948	.5987	.6026	.6064	.6103	.6141
.3	.6179	.6217	.6255	.6293	.6331	.6368	.6406	.6443	.6480	.6517
.4	.6554	.6591	.6628	.6664	.6700	.6736	.6772	.6808	.6844	.6879
.5	.6915	.6950	.6985	.7019	.7054	.7088	.7123	.7157	.7190	.7224
.6	.7257	.7291	.7324	.7357	.7389	.7422	.7454	.7486	.7517	.7549
.7	.7580	.7611	.7642	.7673	.7704	.7734	.7764	.7794	.7823	.7852
.8	.7881	.7910	.7939	.7967	.7995	.8023	.8051	.8078	.8106	.8133
.9	.8159	.8186	.8212	.8238	.8264	.8289	.8315	.8340	.8365	.8389
1.0	.8413	.8438	.8461	.8485	.8508	.8531	.8554	.8577	.8599	.8621
1.1	.8643	.8665	.8686	.8708	.8729	.8749	.8770	.8790	.8810	.8830
1.2	.8849	.8869	.8888	.8907	.8925	.8944	.8962	.8980	.8997	.9015
1.3	.9032	.9049	.9066	.9082	.9099	.9115	.9131	.9147	.9162	.9177
1.4	.9192	.9207	.9222	.9236	.9251	.9265	.9279	.9292	.9306	.9319
1.5	.9332	.9345	.9357	.9370	.9382	.9394	.9406	.9418	.9429	.9441
1.6	.9452	.9463	.9474	.9484	.9495	.9505	.9515	.9525	.9535	.9545
1.7	.9554	.9564	.9573	.9582	.9591	.9599	.9608	.9616	.9625	.9633
1.8	.9641	.9649	.9656	.9664	.9671	.9678	.9686	.9693	.9699	.9706
1.9	.9713	.9719	.9726	.9732	.9738	.9744	.9750	.9756	.9761	.9767
2.0	.9772	.9778	.9783	.9788	.9793	.9798	.9803	.9808	.9812	.9817
2.1	.9821	.9826	.9830	.9834	.9838	.9842	.9846	.9850	.9854	.9857
2.2	.9861	.9864	.9868	.9871	.9875	.9878	.9881	.9884	.9887	.9890
2.3	.9893	.9896	.9898	.9901	.9904	.9906	.9909	.9911	.9913	.9916
2.4	.9918	.9920	.9922	.9925	.9927	.9929	.9931	.9932	.9934	.9936
2.5	.9938	.9940	.9941	.9943	.9945	.9946	.9948	.9949	.9951	.9952
2.6	.9953	.9955	.9956	.9957	.9959	.9960	.9961	.9962	.9963	.9964
2.7	.9965	.9966	.9967	.9968	.9969	.9970	.9971	.9972	.9973	.9974
2.8	.9974	.9975	.9976	.9977	.9977	.9978	.9979	.9979	.9980	.9981
2.9	.9981	.9982	.9982	.9983	.9984	.9984	.9985	.9985	.9986	.9986
3.0	.9987	.9987	.9987	.9988	.9988	.9989	.9989	.9989	.9990	.9990
3.1	.9990	.9991	.9991	.9991	.9992	.9992	.9992	.9992	.9993	.9993
3.2	.9993	.9993	.9994	.9994	.9994	.9994	.9994	.9995	.9995	.9995
3.3	.9995	.9995	.9995	.9996	.9996	.9996	.9996	.9996	.9996	.9997
3.4	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9997	.9998

Entry is area A under the standard normal curve from $-\infty$ to z(A)

 \land

Selected	Percentiles
Deletteu	1 creentines

Cumulative probability A:	.90	.95	.975	.98	.99	.995	.999
	1.282	1.645	1.960	2.054	2.326	2.576	3.090